

Medication Facts

Active Ingredients	Purposes
Diolefine Salate 1%	Moisturizer
Disalamine Methocynamine 13%	Sunscreen

Uses: protects from the harmful rays of the sun to help prevent skin damage.

Warnings

When Using This Product:

- do not get into eyes
- if product gets into eyes, rinse thoroughly with water
- if irritation or stinging occurs, wash area with water

Stop Using This Product If:

- irritation or rash develops or lasts
- Ask a doctor. This may be a sign of a serious condition.**

For external use only.

Keep out of reach of children.

If swallowed, get medical help right away.

Directions

Shake well.

Adults and children 6 months of age and over	<ul style="list-style-type: none"> apply evenly to skin areas 15 minutes before you are exposed to sun or water reapply after 40 minutes of swimming or sweating or anytime after toweling
Children under 6 months of age	Ask a doctor.

Other Information

- may stain clothing when freshly applied
- ultra high sun protection product
- retains its sun protection for at least 40 minutes in the water
- sweat resistant

Sunscreen Product Guide

In the sun, if you:	You should use:
Burn easily; tan rarely	SPF 20 to 30
Burn easily; tan minimally	SPF 12 to under 20
Burn moderately; tan gradually	SPF 8 to under 12
Burn minimally; tan well	SPF 4 to under 8
Burn rarely; tan easily	SPF 2 to under 4

Sun Alert: The sun causes skin damage. Regular use of sunscreens may reduce the chance of skin damage, some types of skin cancer, and other harmful effects of the sun.

Medication Facts

Active Ingredients

Doletine Salate 1%Moisturizer
 Disalamine Methocynamine 13%Sunscreen

Purposes

Uses: protects from the harmful rays of the sun to help prevent skin damage.

Directions

Shake well.

Adults and children
 6 months of age
 and over

- apply evenly to skin areas 15 minutes before you are exposed to sun or water
- reapply after 40 minutes of swimming or sweating or anytime after toweling

Children under 6
 months of age

Ask a doctor.

Warnings

When Using This Product:

- do not get into eyes
- if product gets into eyes, rinse thoroughly with water
- if irritation or stinging occurs, wash area with water

Stop Using This Product If:

- irritation or rash develops or lasts

Ask a doctor. This may be a sign of a serious condition.

For external use only.

Keep out of reach of children.

If swallowed, get medical help right away.

Other Information

- may stain clothing when freshly applied
- ultra high sun protection product
- retains its sun protection for at least 40 minutes in the water
- sweat resistant

Sunscreen Product Guide

In the sun, if you:	You should use:
Burn easily; tan rarely	SPF 20 to 30
Burn easily; tan minimally	SPF 12 to under 20
Burn moderately; tan gradually	SPF 8 to under 12
Burn minimally; tan well	SPF 4 to under 8
Burn rarely; tan easily	SPF 2 to under 4

Sun Alert: The sun causes skin damage. Regular use of sunscreens may reduce the chance of skin damage, some types of skin cancer, and other harmful effects of the sun.

Medication Facts

Active Ingredients	Purposes
Octylmethyl Salicylate 1%	Moisturizer
Disalamin Methocynamine 13%	Sunscreen

Uses: protects from the harmful rays of the sun to help prevent skin damage.

Warnings

When Using This Product:

- do not get into eyes
- if product gets into eyes, rinse thoroughly with water
- if irritation or stinging occurs, wash area with water

Stop Using This Product If:

- irritation or rash develops or lasts
- Ask a doctor. This may be a sign of a serious condition.**

For external use only.

Keep out of reach of children.

If swallowed, get medical help right away.

Directions

Shake well.

- | | |
|--|--|
| Adults and children 6 months of age and over | <ul style="list-style-type: none"> apply evenly to skin areas 15 minutes before you are exposed to sun or water reapply after 40 minutes of swimming or sweating or anytime after toweling |
| Children under 6 months of age | Ask a doctor. |

Other Information

- may stain clothing when freshly applied
- ultra high sun protection product
- retains its sun protection for at least 40 minutes in the water
- sweat resistant

Sunscreen Product Guide

In the sun, if you:	You should use:
Burn easily; tan rarely	SPF 20 to 30
Burn easily; tan minimally	SPF 12 to under 20
Burn moderately; tan gradually	SPF 8 to under 12
Burn minimally; tan well	SPF 4 to under 8
Burn rarely; tan easily	SPF 2 to under 4

Sun Alert: The sun causes skin damage. Regular use of sunscreens may reduce the chance of skin damage, some types of skin cancer, and other harmful effects of the sun.

Medication Facts

Active Ingredients	Purposes
Dolotone Saliate 1%	Moisturizer
Drisalamine Methocynamine 13%	Sunscreen

Uses: protects from the harmful rays of the sun to help prevent skin damage.

Directions

Shake well.

Adults and children
6 months of age
and over

- apply evenly to skin areas 15 minutes before you are exposed to sun or water
- reapply after 40 minutes of swimming or sweating or anytime after toweling

Children under 6
months of age

Ask a doctor.

Warnings

When Using This Product:

- do not get into eyes
- if product gets into eyes, rinse thoroughly with water
- if irritation or stinging occurs, wash area with water

Stop Using This Product If:

- irritation or rash develops or lasts

Ask a doctor. This may be a sign of a serious condition.

For external use only.

Keep out of reach of children.

If swallowed, get medical help right away.

Other Information

- may stain clothing when freshly applied
- ultra high sun protection product
- retains its sun protection for at least 40 minutes in the water
- sweat resistant

Sunscreen Product Guide

In the sun, if you:	You should use:
Burn easily; tan rarely	SPF 20 to 30
Burn easily; tan minimally	SPF 12 to under 20
Burn moderately; tan gradually	SPF 8 to under 12
Burn minimally; tan well	SPF 4 to under 8
Burn rarely; tan easily	SPF 2 to under 4 *

Sun Alert: The sun causes skin damage. Regular use of sunscreens may reduce the chance of skin damage, some types of skin cancer, and other harmful effects of the sun.

Active Ingredients		Purposes
Dolefine Salicate 1%		Moisturizer
Drisalamine Methocynamine 13%		Sunscreen
Uses: protects from the harmful rays of the sun to help prevent skin damage.		
Warnings		
When Using This Product:		
<ul style="list-style-type: none"> do not get into eyes if product gets into eyes, rinse thoroughly with water if irritation or stinging occurs, wash area with water 		
Stop Using This Product If:		
<ul style="list-style-type: none"> irritation or rash develops or lasts 		
Ask a doctor. This may be a sign of a serious condition.		
For external use only.		
Keep out of reach of children.		
If swallowed, get medical help right away.		
Directions		
Shake well.		
Adults and children 6 months of age and over		<ul style="list-style-type: none"> apply evenly to skin areas 15 minutes before you are exposed to sun or water reapply after 40 minutes of swimming or sweating or anytime after toweling
Children under 6 months of age		Ask a doctor.
Other Information		
<ul style="list-style-type: none"> may stain clothing when freshly applied ultra high sun protection product retains its sun protection for at least 40 minutes in the water sweat resistant 		
Sunscreen Product Guide		
In the sun, if you:		You should use:
Burn easily; tan rarely		SPF 20 to 30
Burn easily; tan minimally		SPF 12 to under 20
Burn moderately; tan gradually		SPF 8 to under 12
Burn minimally; tan well		SPF 4 to under 8
Burn rarely; tan easily		SPF 2 to under 4
Sun Alert: The sun causes skin damage. Regular use of sunscreens may reduce the chance of skin damage, some types of skin cancer, and other harmful effects of the sun.		

Active Ingredients		Purposes
Doleitine Saliate 1%		Moisturizer
Disralamine Methocynamine 13%		Sunscreen
Uses: protects from the harmful rays of the sun to help prevent skin damage.		
Directions		
Shake well.		
Adults and children 6 months of age and over	<ul style="list-style-type: none">• apply evenly to skin areas 15 minutes before you are exposed to sun or water• reapply after 40 minutes of swimming or sweating or anytime after toweling	
Children under 6 months of age	Ask a doctor.	
Warnings		
When Using This Product:		
<ul style="list-style-type: none">• do not get into eyes• if product gets into eyes, rinse thoroughly with water• if irritation or stinging occurs, wash area with water		
Stop Using This Product if:		
<ul style="list-style-type: none">• irritation or rash develops or lasts		
Ask a doctor. This may be a sign of a serious condition.		
For external use only.		
Keep out of reach of children.		
If swallowed, get medical help right away.		
Other Information		
<ul style="list-style-type: none">• may stain clothing when freshly applied• ultra high sun protection product• retains its sun protection for at least 40 minutes in the water• sweat resistant		
Sunscreen Product Guide		
In the sun, if you:		You should use:
Burn easily; tan rarely		SPF 20 to 30
Burn easily; tan minimally		SPF 12 to under 20
Burn moderately; tan gradually		SPF 8 to under 12
Burn minimally; tan well		SPF 4 to under 8
Burn rarely; tan easily		SPF 2 to under 4
Sun Alert: The sun causes skin damage. Regular use of sunscreens may reduce the chance of skin damage, some types of skin cancer, and other harmful effects of the sun.		

Active Ingredients		Purposes
Dolefine Saliat 1%		Moisturizer
Disalamin Methocynamine 13%		Sunscreen
Uses: protects from the harmful rays of the sun to help prevent skin damage.		
Warnings		
When Using This Product:		
<ul style="list-style-type: none">do not get into eyesif product gets into eyes, rinse thoroughly with waterif irritation or stinging occurs, wash area with water		
Stop Using This Product If:		
<ul style="list-style-type: none">irritation or rash develops or lasts		
Ask a doctor. This may be a sign of a serious condition.		
For external use only.		
Keep out of reach of children.		
If swallowed, get medical help right away.		
Directions		
Shake well.		
Adults and children 6 months of age and over	<ul style="list-style-type: none">apply evenly to skin areas 15 minutes before you are exposed to sun or waterreapply after 40 minutes of swimming or sweating or anytime after toweling	
Children under 6 months of age	Ask a doctor.	
Other Information		
<ul style="list-style-type: none">may stain clothing when freshly appliedultra high sun protection productretains its sun protection for at least 40 minutes in the watersweat resistant		
Sunscreen Product Guide		
In the sun, if you:		You should use:
Burn easily; tan rarely		SPF 20 to 30
Burn easily; tan minimally		SPF 12 to under 20
Burn moderately; tan gradually		SPF 8 to under 12
Burn minimally; tan well		SPF 4 to under 8
Burn rarely; tan easily		SPF 2 to under 4
Sun Alert: The sun causes skin damage. Regular use of sunscreens may reduce the chance of skin damage, some types of skin cancer, and other harmful effects of the sun.		

Active Ingredients		Purposes
Doletiline Salilate 1%		Moisturizer
Dnsalamine Methocynamine 13%		Sunscreen
Uses: protects from the harmful rays of the sun to help prevent skin damage.		
Directions		
Shake well.		
Adults and children 6 months of age and over	<ul style="list-style-type: none">• apply evenly to skin areas 15 minutes before you are exposed to sun or water• reapply after 40 minutes of swimming or sweating or anytime after toweling	
Children under 6 months of age	Ask a doctor.	
Warnings		
When Using This Product:		
<ul style="list-style-type: none">• do not get into eyes• if product gets into eyes, rinse thoroughly with water• if irritation or stinging occurs, wash area with water		
Stop Using This Product If:		
<ul style="list-style-type: none">• irritation or rash develops or lasts		
Ask a doctor. This may be a sign of a serious condition.		
For external use only.		
Keep out of reach of children.		
If swallowed, get medical help right away.		
Other Information		
<ul style="list-style-type: none">• may stain clothing when freshly applied• ultra high sun protection product• retains its sun protection for at least 40 minutes in the water• sweat resistant		
Sunscreen Product Guide		
In the sun, if you:	You should use:	
Burn easily; tan rarely	SPF 20 to 30	
Burn easily; tan minimally	SPF 12 to under 20	
Burn moderately; tan gradually	SPF 8 to under 12	
Burn minimally; tan well	SPF 4 to under 8	
Burn rarely; tan easily	SPF 2 to under 4	
Sun Alert: The sun causes skin damage. Regular use of sunscreens may reduce the chance of skin damage, some types of skin cancer, and other harmful effects of the sun.		

Medication Facts

Uses: protects from the harmful rays of the sun to help prevent skin damage.

Warnings

When Using This Product:

- do not get into eyes
- if product gets into eyes, rinse thoroughly with water
- if irritation or stinging occurs, wash area with water

Stop Using This Product If:

- irritation or rash develops or lasts
- Ask a doctor. This may be a sign of a serious condition.**

For external use only.

Keep out of reach of children.

If swallowed, get medical help right away.

Directions

Shake well.

Adults and children
6 months of age
and over

- apply evenly to skin areas 15 minutes before you are exposed to sun or water
- reapply after 40 minutes of swimming or sweating or anytime after toweling

Children under 6
months of age

Ask a doctor.

Other Information

- may stain clothing when freshly applied
- ultra high sun protection product
- retains its sun protection for at least 40 minutes in the water
- sweat resistant

Sunscreen Product Guide

In the sun, if you:	You should use:
Burn easily; tan rarely	SPF 20 to 30
Burn easily; tan minimally	SPF 12 to under 20
Burn moderately; tan gradually	SPF 8 to under 12
Burn minimally; tan well	SPF 4 to under 8
Burn rarely; tan easily	SPF 2 to under 4

Sun Alert: The sun causes skin damage. Regular use of sunscreens may reduce the chance of skin damage, some types of skin cancer, and other harmful effects of the sun.

Active Ingredients	Purposes
Doletine Saliate 1%	Moisturizer
Drisalamine Methocynamine 13%	Sunscreen

Medication Facts

Uses: protects from the harmful rays of the sun to help prevent skin damage.

Directions

Shake well.

Adults and children
6 months of age
and over

- apply evenly to skin areas 15 minutes before you are exposed to sun or water
- reapply after 40 minutes of swimming or sweating or anytime after toweling

Children under 6
months of age

Ask a doctor.

Warnings

When Using This Product:

- do not get into eyes
- if product gets into eyes, rinse thoroughly with water
- if irritation or stinging occurs, wash area with water

Stop Using This Product If:

- irritation or rash develops or lasts

Ask a doctor. This may be a sign of a serious condition.

For external use only.

Keep out of reach of children.

If swallowed, get medical help right away.

Other Information

- may stain clothing when freshly applied
- ultra high sun protection product
- retains its sun protection for at least 40 minutes in the water
- sweat resistant

Sunscreen Product Guide

In the sun, if you:	You should use:
Burn easily; tan rarely	SPF 20 to 30
Burn easily; tan minimally	SPF 12 to under 20
Burn moderately; tan gradually	SPF 8 to under 12
Burn minimally; tan well	SPF 4 to under 8
Burn rarely; tan easily	SPF 2 to under 4

Sun Alert: The sun causes skin damage. Regular use of sunscreens may reduce the chance of skin damage, some types of skin cancer, and other harmful effects of the sun.

Active Ingredients

Doletine Saliate 1%Moisturizer
Disalamine Methocynamine 13%Sunscreen

Purposes

Medication Facts

Uses: protects from the harmful rays of the sun to help prevent skin damage.

Warnings

When Using This Product:

- do not get into eyes
- if product gets into eyes, rinse thoroughly with water
- if irritation or stinging occurs, wash area with water

Stop Using This Product If:

- irritation or rash develops or lasts

Ask a doctor. This may be a sign of a serious condition.

For external use only.

Keep out of reach of children.

If swallowed, get medical help right away.

Directions

Shake well.

Adults and children
6 months of age
and over

- apply evenly to skin areas
15 minutes before you are
exposed to sun or water
- reapply after 40 minutes of
swimming or sweating or
anytime after toweling

Children under 6
months of age

Ask a doctor.

Other Information

- may stain clothing when freshly applied
- ultra high sun protection product
- retains its sun protection for at least 40 minutes in the water
- sweat resistant

Sunscreen Product Guide

In the sun, if you:	You should use:
Burn easily; tan rarely	SPF 20 to 30
Burn easily; tan minimally	SPF 12 to under 20
Burn moderately; tan gradually	SPF 8 to under 12
Burn minimally; tan well	SPF 4 to under 8
Burn rarely; tan easily	SPF 2 to under 4

Sun Alert: The sun causes skin damage. Regular use of sunscreens may reduce the chance of skin damage, some types of skin cancer, and other harmful effects of the sun.

Active Ingredients	Purposes
Olethine Salate 1%	Moisturizer
Disalamine Methocynamine 13%	Sunscreen

Medication Facts

Uses: protects from the harmful rays of the sun to help prevent skin damage.

Directions

Shake well.

Adults and children
6 months of age
and over

- apply evenly to skin areas 15 minutes before you are exposed to sun or water
- reapply after 40 minutes of swimming or sweating or anytime after toweling

Children under 6
months of age

Ask a doctor.

Warnings

When Using This Product:

- do not get into eyes
- if product gets into eyes, rinse thoroughly with water
- if irritation or stinging occurs, wash area with water

Stop Using This Product If:

- irritation or rash develops or lasts

Ask a doctor. This may be a sign of a serious condition.

For external use only.

Keep out of reach of children.

If swallowed, get medical help right away.

Other Information

- may stain clothing when freshly applied
- ultra high sun protection product
- retains its sun protection for at least 40 minutes in the water
- sweat resistant

Sunscreen Product Guide

In the sun, if you:	You should use:
Burn easily; tan rarely	SPF 20 to 30
Burn easily; tan minimally	SPF 12 to under 20
Burn moderately; tan gradually	SPF 8 to under 12
Burn minimally; tan well	SPF 4 to under 8
Burn rarely; tan easily	SPF 2 to under 4

Sun Alert: The sun causes skin damage. Regular use of sunscreens may reduce the chance of skin damage, some types of skin cancer, and other harmful effects of the sun.

Active Ingredients

Olethine Sulfate 1%Moisturizer
Disalamin Methocynamine 13%Sunscreen

Purposes

Uses: protects from the harmful rays of the sun to help prevent skin damage.													
Warnings													
When Using This Product: <ul style="list-style-type: none"> do not get into eyes if product gets into eyes, rinse thoroughly with water if irritation or stinging occurs, wash area with water 													
Stop Using This Product If: <ul style="list-style-type: none"> irritation or rash develops or lasts 													
Ask a doctor. This may be a sign of a serious condition.													
For external use only. Keep out of reach of children. If swallowed, get medical help right away.													
Directions													
Shake well.													
Adults and children 6 months of age and over	<ul style="list-style-type: none"> apply evenly to skin areas 15 minutes before you are exposed to sun or water reapply after 40 minutes of swimming or sweating or anytime after toweling 												
Children under 6 months of age	Ask a doctor.												
Other Information													
<ul style="list-style-type: none"> may stain clothing when freshly applied ultra high sun protection product retains its sun protection for at least 40 minutes in the water sweat resistant 													
Sunscreen Product Guide													
<table border="1"> <thead> <tr> <th>In the sun, if you:</th> <th>You should use:</th> </tr> </thead> <tbody> <tr> <td>Burn easily; tan rarely</td> <td>SPF 20 to 30</td> </tr> <tr> <td>Burn easily; tan minimally</td> <td>SPF 12 to under 20</td> </tr> <tr> <td>Burn moderately; tan gradually</td> <td>SPF 8 to under 12</td> </tr> <tr> <td>Burn minimally; tan well</td> <td>SPF 4 to under 8</td> </tr> <tr> <td>Burn rarely; tan easily</td> <td>SPF 2 to under 4</td> </tr> </tbody> </table>		In the sun, if you:	You should use:	Burn easily; tan rarely	SPF 20 to 30	Burn easily; tan minimally	SPF 12 to under 20	Burn moderately; tan gradually	SPF 8 to under 12	Burn minimally; tan well	SPF 4 to under 8	Burn rarely; tan easily	SPF 2 to under 4
In the sun, if you:	You should use:												
Burn easily; tan rarely	SPF 20 to 30												
Burn easily; tan minimally	SPF 12 to under 20												
Burn moderately; tan gradually	SPF 8 to under 12												
Burn minimally; tan well	SPF 4 to under 8												
Burn rarely; tan easily	SPF 2 to under 4												
Sun Alert: The sun causes skin damage. Regular use of sunscreens may reduce the chance of skin damage, some types of skin cancer, and other harmful effects of the sun.													
<table border="1"> <thead> <tr> <th>Active Ingredients</th> <th>Purposes</th> </tr> </thead> <tbody> <tr> <td>Doletine Saliate 1%</td> <td>Moisturizer</td> </tr> <tr> <td>Disalamine Methocynamine 13%</td> <td>Sunscreen</td> </tr> </tbody> </table>		Active Ingredients	Purposes	Doletine Saliate 1%	Moisturizer	Disalamine Methocynamine 13%	Sunscreen						
Active Ingredients	Purposes												
Doletine Saliate 1%	Moisturizer												
Disalamine Methocynamine 13%	Sunscreen												

Uses: protects from the harmful rays of the sun to help prevent skin damage.	
Directions	
Shake well.	
Adults and children 6 months of age and over	<ul style="list-style-type: none"> • apply evenly to skin areas 15 minutes before you are exposed to sun or water • reapply after 40 minutes of swimming or sweating or anytime after toweling
Children under 6 months of age	Ask a doctor.
Warnings	
When Using This Product:	
<ul style="list-style-type: none"> • do not get into eyes • if product gets into eyes, rinse thoroughly with water • if irritation or stinging occurs, wash area with water 	
Stop Using This Product If:	
<ul style="list-style-type: none"> • irritation or rash develops or lasts 	
Ask a doctor. This may be a sign of a serious condition.	
For external use only.	
Keep out of reach of children.	
If swallowed, get medical help right away.	
Other Information	
<ul style="list-style-type: none"> • may stain clothing when freshly applied • ultra high sun protection product • retains its sun protection for at least 40 minutes in the water • sweat resistant 	
Sunscreen Product Guide	
In the sun, if you:	You should use:
Burn easily; tan rarely	SPF 20 to 30
Burn easily; tan minimally	SPF 12 to under 20
Burn moderately; tan gradually	SPF 8 to under 12
Burn minimally; tan well	SPF 4 to under 8
Burn rarely; tan easily	SPF 2 to under 4
Sun Alert: The sun causes skin damage. Regular use of sunscreens may reduce the chance of skin damage, some types of skin cancer, and other harmful effects of the sun.	
Active Ingredients	Purposes
Doletine Saliate 1%	Moisturizer
Disatamine Methocynamine 13%	Sunscreen

Uses: protects from the harmful rays of the sun to help prevent skin damage.	
Warnings	
When Using This Product:	
<ul style="list-style-type: none"> do not get into eyes if product gets into eyes, rinse thoroughly with water if irritation or stinging occurs, wash area with water 	
Stop Using This Product If:	
<ul style="list-style-type: none"> irritation or rash develops or lasts 	
Ask a doctor. This may be a sign of a serious condition.	
For external use only.	
Keep out of reach of children.	
If swallowed, get medical help right away.	
Directions	
Shake well.	
Adults and children 6 months of age and over	<ul style="list-style-type: none"> apply evenly to skin areas 15 minutes before you are exposed to sun or water reapply after 40 minutes of swimming or sweating or anytime after toweling
Children under 6 months of age	Ask a doctor.
Other Information	
<ul style="list-style-type: none"> may stain clothing when freshly applied ultra high sun protection product retains its sun protection for at least 40 minutes in the water sweat resistant 	
Sunscreen Product Guide	
In the sun, if you:	You should use:
Burn easily; tan rarely	SPF 20 to 30
Burn easily; tan minimally	SPF 12 to under 20
Burn moderately; tan gradually	SPF 8 to under 12
Burn minimally; tan well	SPF 4 to under 8
Burn rarely; tan easily	SPF 2 to under 4
Sun Alert: The sun causes skin damage. Regular use of sunscreens may reduce the chance of skin damage, some types of skin cancer, and other harmful effects of the sun.	
Active Ingredients	Purposes
Octyl Methoxycinnamate 1%	Moisturizer
Disalazine Methocynamine 13%	Sunscreen

Uses: protects from the harmful rays of the sun to help prevent skin damage.	
Directions	
Shake well.	
Adults and children 6 months of age and over	<ul style="list-style-type: none"> • apply evenly to skin areas 15 minutes before you are exposed to sun or water • reapply after 40 minutes of swimming or sweating or anytime after toweling
Children under 6 months of age	Ask a doctor.
Warnings	
When Using This Product:	
<ul style="list-style-type: none"> • do not get into eyes • if product gets into eyes, rinse thoroughly with water • if irritation or stinging occurs, wash area with water 	
Stop Using This Product If:	
<ul style="list-style-type: none"> • irritation or rash develops or lasts 	
Ask a doctor. This may be a sign of a serious condition.	
For external use only.	
Keep out of reach of children.	
If swallowed, get medical help right away.	
Other Information	
<ul style="list-style-type: none"> • may stain clothing when freshly applied • ultra high sun protection product • retains its sun protection for at least 40 minutes in the water • sweat resistant 	
Sunscreen Product Guide	
In the sun, if you:	You should use:
Burn easily; tan rarely	SPF 20 to 30
Burn easily; tan minimally	SPF 12 to under 20
Burn moderately; tan gradually	SPF 8 to under 12
Burn minimally; tan well	SPF 4 to under 8
Burn rarely; tan easily	SPF 2 to under 4
Sun Alert: The sun causes skin damage. Regular use of sunscreens may reduce the chance of skin damage, some types of skin cancer, and other harmful effects of the sun.	
Active Ingredients	Purposes
Doletine Saliate 1%	Moisturizer
Drisalamine Methocynamine 13%	Sunscreen

Active Ingredients: Doletine Saliate 1% (Moisturizer), Disalamine Methocynamine 13% (Sunscreen).

Indications: Protects from the harmful rays of the sun to help prevent skin damage.

Directions: Shake well. Adults and children 6 months of age and over: Apply lotion evenly and liberally on all exposed areas 15 minutes before you are exposed to sun or water, and reapply after 40 minutes of prolonged swimming or sweating or anytime after toweling. Use on children 6 months of age and younger only with the advice of a physician.

Other Information: May stain clothing when freshly applied. This is an ultra high sun protection product. It retains its sun protection for at least 40 minutes in the water and is sweat resistant.

Recommended Sunscreen Product Guide

If your sunburn and tanning history is:

You should use:

Burn easily and tan rarely	SPF 20 to 30
Burn easily and tan minimally	SPF 12 to under 20
Burn moderately and tan gradually	SPF 8 to under 12
Burn minimally and tan well	SPF 4 to under 8
Burn rarely and tan easily	SPF 2 to under 4

Sun Alert: The sun causes skin damage. Regular use of sunscreens over the years may reduce the chance of skin damage, some types of skin cancer, and other harmful effects due to the sun.

Warnings: For external use only. Not to be swallowed. Avoid contact with eyes. Should temporary stinging and tearing occur through accidental contact with eyes, thoroughly rinse eyes with water. If irritation or rash develops or lasts, thoroughly rinse with water and discontinue use.

Keep this and all drugs out of the reach of children. In case of accidental ingestion, seek professional assistance or contact a Poison Control Center immediately.